

Pass and Seymour Discontinued - PlugTail® Commercial Passive Infrared (PIR) Wall Switch Sensor, White Part No. PTWSP250W



Features & Benefits

Detection Signature Analysis provides high immunity to RFI and EMI.

Integrated light level sensor works from 10 to 150 footcandles.

Compatible with all electronic and magnetic ballasts, PL lamp Adjustable time delay of 30 seconds to 30 minutes. balasts, compact fluorescent.

Dual 120/277VAC operation, Adjustable sensitivity from 20% to Patented voltage drop protection and zero crossing circuitry. 100%, 180 degree coverage of up to 900 sq. ft.

No exposed terminals create a fingersafe application before, Built-in connector features large brass terminal blades to during, and after installation.

180 deg

ensure consistent, reliable electrical connections.

60 Hz

For covering patents, see www.legrand.us/patents.:

Specifications

General Info			
Product Line	Pass & Seymour	Replaced by Part Number	WS250W, WS-301-W
Color	White	Country Of Origin	Mexico
Application Sector	Commercial/Industrial	Standard	CSA Listed, cULus, UL Listed
Listing Agencies / 3rd	Party Agencies		
cULus Listed	Yes		

Response Frequency

Target Size

Technical Information

Sensor Type	Occupancy	Sensing Range	900 sq ft
Sensitivity	60Hz	Load	120/277VAC
Environmental Conditions	Indoor Use Only		