

Pass and Seymour Discontinued - Commercial Occupancy Sensor, White Part No. CSD1000LV



Dual Technology Occupancy Sensor, 120/277/347 VAC, 50-60hz, White

Features & Benefits

Advanced control logic based on RISC microcontroller provides: Detection signature processing eliminates false triggers and provides immunity to RFI and EMI.	Walk-through mode turns lights off three minutes after the area is initially occupied ideal for brief visits such as mail delivery.
Simple, one-step setup. Ultrasonic diffusion technology spreads coverage to a wider area (patented).	LEDs indicate occupancy detection. Four occupancy logic options give users the ability to customize control to meet application needs. Ultrasonic frequency of 40 kHz.
Time delays: automatic, fixed (5, 10, 15, 20, or 30 minutes), walk through, test-mode. Sensitivity adjustment: reduce sensitivity (for PIR sensitivity): ultrasonic sensitivity is variable with trimpot.	_Multi-level, 360 degrees Fresnel lens for superior occupancy detection. Mounting options: ceiling tile: 4 square junction box with double gang mudring. cULus listed. 5-year warranty.

For covering patents, see www.legrand.us/patents.

Specifications

General Info			
Product Line	Pass & Seymour	Replaced by Part Number	DT-355
Color	White	Country Of Origin	China
Listing Agencies / 3rd Party Agencies			
cULus Listed	Yes		
Technical Informa	tion		
Sensor Type	Occupancy		